

Ringo Test report



Patient:	Ringo	Species:	Canine	Patient ID:	2508141
Client:	Ronald Pitoc	Gender:	Male	Age:	4Y

AI Aided Diag. Explan.

It is recommended to add symmetric dimethylarginine (SDMA), urinary protein to creatinine ratio (UPC), urinary specific gravity (SG), and imaging examinations to identify the cause and grading of renal dysfunction, based on clinical manifestations and medical history.

Note: Due to the complexity and individuality of disease diagnosis, the report interpretation is only for your reference. Please consult your doctors for clinical diagnosis results.
The results only applies to this test sample.

Time of Printing:2025-08-25 10:16:08



PET DOCTORS VETERINARY CLINIC
AND GROOMING CENTER
Calasiao Pangasinan

Global Pioneer of Comprehensive Animal Medical Solutions
Better healthcare for all - Since 1991



Biochemistry test report



Patient:	Ringo	Species:	Canine	Patient ID:	2508141
Client:	Ronald Pitoc	Gender:	Male	Sample No.:	0000001
Doctor:		Age:	4Y	Time of analysis:	2025/08/14 07:37

Item		Current result		Ref. Ranges	
Protein	TP	↑ 8.33	g/dL	5.31-7.92	
Protein	ALB	2.49	g/dL	2.34-4.00	
Protein	GLOB	↑ 5.84	g/dL	2.54-5.20	
Protein	A/G	0.4			
Liver and gallbladder	ALT	68.0	U/L	10.1-100.3	
Liver and gallbladder	AST	↑ 52.1	U/L	0.0-51.7	
Liver and gallbladder	AST/ALT	0.77			
Liver and gallbladder	ALP	25.5	U/L	15.5-212.0	
Liver and gallbladder	GGT	5.4	U/L	0.0-15.9	
Liver and gallbladder	TBIL	<0.10	mg/dL	0.00-0.88	
Liver and gallbladder	TBA	<1.0	μmol/L	0.0-30.0	
Pancreas	AMY	↑ 2322.2	U/L	397.7-1285.1	
Kidneys	BUN	↑ >182.65	mg/dL	7.02-27.45	
Kidneys	CREA	↑ 12.94	mg/dL	0.23-1.40	
Kidneys	BUN/CREA	****			
Cardiovasc./Muscle	CK	66.6	U/L	66.4-257.5	
Cardiovasc./Muscle	LDH	45.7	U/L	0.0-143.6	
Energy metabolism	GLU	97.4	mg/dL	68.5-135.2	
Energy metabolism	TC	225.4	mg/dL	103.2-324.1	
Energy metabolism	TG	44.9	mg/dL	8.9-115.1	
Minerals	Ca	8.58	mg/dL	8.40-11.88	
Minerals	PHOS	↑ >20.13	mg/dL	2.48-6.81	
Minerals	CaxP	****	mmol/L^2		
Minerals	Mg	1.86	mg/dL	1.48-2.58	
Electrolytes	Na+	144.4	mmol/L	138.0-160.0	
Electrolytes	K+	3.8	mmol/L	3.5-5.9	
Electrolytes	Na/K	37.8			
Electrolytes	Cl-	↑ 131.8	mmol/L	102.7-125.0	

Operator:

Comprehensive Diagnosis Panel

QC QC OK

HEM(Hemolysis degree):	0	LIP(Lipemia degree):	0	ICT(Jaundice degree):	0
------------------------	---	----------------------	---	-----------------------	---

The results only applies to this test sample.

Test Instrument:Mindray vetXpert C5

Time of Printing:2025-08-25 10:16:10



PET DOCTORS VETERINARY CLINIC
AND GROOMING CENTER
Calasiao Pangasinan

Global Pioneer of Comprehensive Animal Medical Solutions
Better healthcare for all - Since 1991



Biochemistry test report



Patient:	Ringo	Species:	Canine	Patient ID:	2508141
Client:	Ronald Pitoc	Gender:	Male	Sample No.:	0000001
Doctor:		Age:	4Y	Time of analysis:	2025/08/14 07:37



Report Explan.

TP



Increase is commonly associated with dehydration and increased globulin. Reduction is commonly associated with blood loss, protein-losing enteropathy, and decreased albumin.

GLOB



Increase is commonly associated with chronic inflammation and infection, and hyperimmunity, etc. Reduction is commonly associated with insufficient protein intake, anemia, and immunodeficiency.

AST



Increase is commonly associated with liver injury and muscle injury, etc.

AMY



Increase is commonly associated with gastroenteritis, pancreatitis, pancreatic tumor, etc.

BUN



Increase is commonly associated with high protein diet, gastrointestinal bleeding, nephropathy, and urinary obstruction, etc. Reduction is commonly associated with insufficient protein intake and liver failure, etc.

CREA



Increase is commonly associated with nephropathy, etc. Reduction is commonly associated with malnutrition and muscular atrophy, etc.

PHOS



Increase is commonly associated with nephropathy, bone healing period, and hyperthyroidism. Decreased in hyperparathyroidism, tumor, etc.

Cl-



Increase is commonly associated with salt intoxication, hypertonic NaCl solution rehydration, small intestinal diarrhea, etc. Reduction is commonly associated with vomiting, diuretic therapy, etc.

Note: Due to the complexity and individuality of disease diagnosis, the report interpretation is only for your reference. Please consult your doctors for clinical diagnosis results.
The results only applies to this test sample.

Test Instrument: Mindray vetXpert C5

Time of Printing: 2025-08-25 10:16:10



PET DOCTORS VETERINARY CLINIC
AND GROOMING CENTER
Calasiao Pangasinan

Global Pioneer of Comprehensive Animal Medical Solutions
Better healthcare for all - Since 1991



Immunoassay test report



Patient:	Ringo	Species:	Canine	Patient ID:	2508141
Client:	Ronald Pitoc	Gender:	Male	Sample No.:	0000001
Doctor:		Age:	4Y	Time of analysis:	2025/08/14 07:36

Lab item	Current result		Ref. Ranges	
cSDMA	↑	37.6	µg/dL 0.0-14.0	

Operator:

Report Explan.

cSDMA

Result indications:

<14.0 ug/dL Normal

14.0-20.0 ug/dL Suspected

>20.0 ug/dL Abnormal

Clinical significance:

cSDMA is an early biomarker of progressive kidney injury, and an increase may indicate impaired renal function.

Note: Due to the complexity and individuality of disease diagnosis, the report interpretation is only for your reference. Please consult your doctors for clinical diagnosis results.
The results only applies to this test sample.

Test Instrument: Mindray vetXpert I3

Time of Printing: 2025-08-25 10:16:12



PET DOCTORS VETERINARY CLINIC
AND GROOMING CENTER
Calasiao Pangasinan

Global Pioneer of Comprehensive Animal Medical Solutions
Better healthcare for all - Since 1991

