

Client: Manzano, Paula (335)
 Patient Name: Chanel
 Species: Canine
 Breed:

Gender:
 Weight:
 Age: 11 Years
 Doctor:

PET DOCTORS VETERINARY
 CLINIC
 Diversion Road, San Miguel,
 Calasiao, Pangasinan
 0932-278-9861 075-523-
 1751

Test	Results	Reference Interval	LOW	NORMAL	HIGH
Catalyst One (March 15, 2023 10:12 AM)					
GLU	156 mg/dL	70 - 143			HIGH
SDMA	15 µg/dL	0 - 14			HIGH
CREA	0.5 mg/dL	0.5 - 1.8			
BUN	16 mg/dL	7 - 27			
BUN/CREA	32				
PHOS	2.1 mg/dL	2.5 - 6.8	LOW		
CA	9.6 mg/dL	7.9 - 12.0			
TP	7.1 g/dL	5.2 - 8.2			
ALB	2.9 g/dL	2.2 - 3.9			
GLOB	4.1 g/dL	2.5 - 4.5			
ALB/GLOB	0.7				
ALT	52 U/L	10 - 125			
ALKP	79 U/L	23 - 212			
GGT	0 U/L	0 - 11			
TBIL	0.4 mg/dL	0.0 - 0.9			
CHOL	362 mg/dL	110 - 320			HIGH
AMYL	464 U/L	500 - 1500	LOW		
LIPA	577 U/L	200 - 1800			

SDMA:

SDMA is increased, CREA within reference interval: likely impaired GFR and kidney function.
 Recommended next step: evaluate complete urinalysis. For information on recommended actions visit: www.idexx.com/sdmaalgorithm.